

# Configuration of Admitad tracking plugin (\*Magento)

[Installation via Marketplace](#)

[Manual installation](#)

[At present moment the plugin can be installed manually only.](#)

[Authorization](#)

[Actions and tariffs configuration](#)

[Uninstallation](#)

\* This plugin is **only** for Magento CMS  
Make sure ecommerce platform is installed and configured


## 1. Installation via Marketplace

We expect to rewrite this chapter when Admitad tracking plugin will be published in Magento Marketplace.

## 2. Manual installation

At present moment the plugin can be installed manually only.

First unpack sources to Magento home directory in `/app/code/Admitad/Track/`



Then switch to this directory and execute console command to resolve dependencies

```
composer require admitad/api
```

```
s:\magento>composer require admitad/api
```

Enable plugin with command

```
php bin/magento module:enable Admitad_Track
```

```
$ php bin/magento module:enable Admitad_Track
```

When plugin is enabled, upgrade Magento

```
php bin/magento setup:upgrade
```

```
s:\magento>php bin/magento setup:upgrade
```

Deploy static content (if in production mode)

```
php bin/magento setup:static-content:deploy
```

```
s:\magento>php bin/magento setup:static-content:deploy
```

Go to 'System - Cache Management' menu. Disable Configuration cache as the plugin has dynamic configuration.

13 records found (1 selected)

<input type="checkbox"/>	Cache Type	Description	Tags	Status
<input checked="" type="checkbox"/>	Configuration	Various XML configurations that were collected across modules and merged	CONFIG	<b>DISABLED</b>
<input type="checkbox"/>	Layouts	Layout building instructions	LAYOUT_GENERAL_CACHE_TAG	<b>ENABLED</b>
<input type="checkbox"/>	Blocks HTML output	Page blocks HTML	BLOCK_HTML	<b>ENABLED</b>
<input type="checkbox"/>	Collections Data	Collection data files	COLLECTION_DATA	<b>ENABLED</b>


Refresh cache files if any of them are invalidated.

13 records found (2 selected)

<input type="checkbox"/>	Cache Type	Description
<input checked="" type="checkbox"/>	Configuration	Various XML configurations that were collected across modules and merged
<input checked="" type="checkbox"/>	Layouts	Layout building instructions
<input type="checkbox"/>	Blocks HTML output	Page blocks HTML

### 3. Authorization

If you already know the ID and secret key for your store, you can proceed to the next step. If not, you will need to log in your personal account on <https://developers.admitad.com/en/> and get them.



Go to the 'Stores - Configuration' menu, find Admitad Tracking configuration settings. Then paste ClientID and Client Secret key and click 'Save Config' button.


You may leave default param name `admitad_uid` if you don't want to change the name of GET-parameter that you will receive from Admitad.

#### 4. Actions and tariffs configuration

Go to the 'Stores - Configuration' menu. Open the the drop-down panel below General Configuration section.



Select the "Sale" option in the drop-down list for the campaign active target actions.



Paid order

Action [global] Sale

Category 1: [global]

- Default Category
- Gear
- Gear -> Bags
- Gear -> Fitness Equipment
- Gear -> Watches
- Collections -> New Luma Yoga Collection
- Men
- Men -> Tops
- Men -> Bottoms
- Men -> Tops -> Jackets

Select allowed categories for Category 1.

Category 2: [global]

- Default Category
- Gear
- Gear -> Bags
- Gear -> Fitness Equipment
- Gear -> Watches
- Collections -> New Luma Yoga Collection
- Men
- Men -> Tops
- Men -> Bottoms

After that, distribute<sup>1</sup> the categories of goods in accordance with the tariffs of the target action in your Admitad account.

Click the "Save Config" button.

<sup>1</sup> Multiple selection can be done via Ctrl + click or Shift + click. All categories - using Ctrl + A

## 5. Uninstallation

Switch to Magento home directory and disable plugin with console command

```
php bin/magento module:disable Admitad_Track
```

```
$ php bin/magento module:disable Admitad_Track
```

Delete `/app/code/Admitad/Track/` from home directory.

Thank you for reading this manual.