


Installation Guide - Cancel Order By Customer

1. Download the .ZIP file from the account.
2. Log into the Magento server (or switch to) as a user, who has permissions to write to the Magento file system.
3. Create folder structure `/app/code/Solwin/CancelOrder/`



4. Extract the contents of the .ZIP file to the folder you just created

Cache Management

Flush Cache Storage

Flush Magento Cache

Refresh Submit 12 records found

<input type="checkbox"/>	Cache Type	Description	Tags	Status
<input type="checkbox"/>	Configuration	Various XML configurations that were collected across modules and merged.	CONFIG	ENABLED
<input type="checkbox"/>	Layouts	Layout building instructions.	LAYOUT_GENERAL_CACHE_TAG	ENABLED
<input type="checkbox"/>	Blocks HTML output	Page blocks HTML.	BLOCK_HTML	ENABLED
<input type="checkbox"/>	Collections Data	Collection data files.	COLLECTION_DATA	ENABLED
<input type="checkbox"/>	Reflection Data	API interfaces reflection data.	REFLECTION	ENABLED
<input type="checkbox"/>	Database DDL operations	Results of DDL queries, such as describing tables or indexes.	DB_DDL	ENABLED
<input type="checkbox"/>	EAV types and attributes	Entity types declaration cache.	EAV	ENABLED
<input type="checkbox"/>	Integrations Configuration	Integration configuration file.	INTEGRATION	ENABLED
<input type="checkbox"/>	Integrations API Configuration	Integrations API configuration file.	INTEGRATION_API_CONFIG	ENABLED
<input type="checkbox"/>	Page Cache	Full page caching.	FPC	ENABLED
<input type="checkbox"/>	Translations	Translation files.	TRANSLATE	ENABLED
<input type="checkbox"/>	Web Services Configuration	REST and SOAP configurations, generated WSDL file.	WEBSERVICE	ENABLED

Additional Cache Management

7.log out from the backend and log in again.

NOTE : Make sure the installation is done from under the FTP administrator account. Otherwise make sure to set 775 permissions to the store root directory after the extension is deployed.